

References

11/3 2014

OMEGAWAVE, INC.

1. Theory

K. Forrester : A Laser Speckle Imaging Technique for Measuring Tissue Perfusion, IEEE Trans. Biome. Eng., 51, 2074 (2004).

S. Kashima : Spectroscopic Measurement of Blood Volume and Its Oxygenation in a Small Volume of Tissue using Red Lasers and Differential Calculation between Two Point Detections, Opt. Laser Technol., 35, 485 (2003).

K. Forrester : Comparison of Laser Speckle and Laser Doppler Perfusion Imaging : Measurement in Human Skin and Rabbit Articular Tissue, Med. Biolog. Enf. Comp., 40, 687 (2002).

S. Kashima : Study of Measuring the Velocity of Erythrocytes in Tissue by the Dynamic Light Scattering Method, Jpn. J. Appl. Phys., 32, 2177 (1993).

S. Kashima : Measurement of Tissue Blood Volume in a Model System and in the Canine Intestine by Dynamic Light Scattering, Laser. Life Sci., 6, 79 (1994).

S. Kashima : Non-contact Laser Tissue Blood Flow Measurement using Polarization to Reduce the Specular Reflection Artifact, Optics & Laser technol., 26, 169 (1993).

2. Cerebral Blood Flow and Oxygenation

S. Masuki : Voluntary Locomotion Linked with Cerebral Activation is mediated by Vasopression V₁a Receptors in Free-Moving Mice, *J. Physiol.*, 591, 14, 3651 (2013).

S. Nomura : Reliability of Laser Speckle Flow Imaging for Intraoperative Monitoring of Cerebral Blood Flow during Cerebrovascular Surgery : Comparison with Cerebral Blood Flow Measurement by Single Photo Emission Computed Tomography, *World Neurosurg.*, Sep 15, pii:S1878-8750(13)01110-8 (2013).

S. Nomura : Changes in Glutamate Concentration, Glucose Metabolism, and Cerebral Blood Flow during Focal Brain Cooling of the Epileptogenic Cortex in Humans, *Epilepsia*, 55, 770 (2014).

Y. Tajima : Reproductivity of Measuring Cerebral Blood Flow by Laser-Doppler Flowmetry in Mice, *Frontiers in Biosciene* E6, 62 (2014).

H. Takuwa : Hemodynamic Changes during Neural Deactivation in Awake Mice : A Measurement by Laser-Doppler Flowmetry in Crossed Cerebellar Disaschisis, *Brain Res.*, 1537, 350 (2013).

T. Nishijima : Hippocampal Functional Hyperemia Mediated by NMDA Receptor/NO Signaling in Rats during Mild Exercise, *J. Appl. Physiol.*, 112, 197 (2012).

Y. Tanaka : 2-Decenoic Acid Ethyl Ester, a Compound That Elicits Neurotrophin-like Intracellular Signals, Facilitating Functional Recovery from Cerebral Infarction in Mice, *Int. J. Mol. Sci.*, 13, 4968 (2012).

Y. Suzuki : Pharmacological Inhibition of TLR4-NOX4 Signal Protects against Neuronal Death in Transient Focal Ischemia, *Sci. Rep.*, 2, 896 (2012).

Y. Hase : Cilostazol, a Phosphodiesterase Inhibitor, Prevents No-reflow and Hemorrhage in Mice with Focal Cerebral Ischemia, *Exp. Neurol.*, 233, 523–533 (2012).

Y.-F. Yang : Interleukin-1 Receptor Associated Kinases-1/4 Inhibition Protects against Acute Hypoxia/Ischemia-induced Neuronal Injury in Vivo and in Vitro, *Neuroscience*, 196, 25 (2011).

Y-F. Dong : Attenuation of Brain Damage and Cognitive Impairment by Direct Renin Inhibition in Mice with Chronic Cerebral Hypoperfusion, *Hypertension*, 58, 635 (2011).

Y-F. Dong : Beneficial Effects of Combination of Valsartan and Amlodipine on Salt-Induced Brain Injury in Hypertensive Rats, *J. Pharmacol. Exp. Ther.*, 339, 358 (2011).

N. Kokan : Near-infrared Spectroscopy of Orbitofrontal Cortex during Odorant Stimulation, *Am. J. Rhinol. Allergy*, 25, 163–165 (2011).

H. Masuda : Local Exposure of the Rat Cortex to Radiofrequency Electromagnetic Fields Increase Local Cerebral Blood Flow along with Temperature, *J. Appl. Physiol.*, 110, 142–148 (2011).

Y. Akamatsu : Consistent Focal Cerebral Ischemia without Posterior Cerebral Artery Occlusion and Its Real-time Monitoring in an Intraluminal Suture Model in Mice, *J. Neurosurg.*, 23, 1–8 (2011).

H. Takuwa : Reproducibility and Variance of a Stimulation-induced Hemodynamic Response in Barrel Cortex of a Awake Behaving Mice, *Brain Res.*,

1369, 103–111 (2011).

K. Hyakkoku : Toll-like Receptor 4 (TLR4), but not TLR3 or TLR9, knock-out Mice Have Neuroprotective Effects against Focal Cerebral Ischemia, *Neuroscience*, 171, 258 (2010).

F. Tian : In Vivo Imaging of Autophagy in a Mouse Stroke Model, *Autophagy*, 6, 1107 (2010).

S. Ando : Reaction Time to Peripheral Visual Stimuli during Exercise under Hypoxia, *J. All. Physiol.*, 108, 1210–1216 (2010).

K. Washida : Nonhypotensive Dose of Telmisartan Attenuates Cognitive Impairment Partially Due to Peroxisome Proliferator-Activated Receptor- γ Activation in Mice with Chronic Cerebral Hypoperfusion, *Stroke*, 41, 1798–1806 (2010).

K. Nishio : A Mouse Model Characterizing Features of Vascular Dementia with Hippocampal Atrophy, *Stroke*, 41, 1278–1284 (2010).

Y. Fujita : Early Protective Effect of Bone Marrow Mononuclear Cells Against Ischemia White Matter Damage Through Augmentation of Cerebral Blood Flow, *Stroke*, 41, 2938–2943 (2010).

J. Iwanami : Low Dose of Telmisartan Prevents Ischemic Brain Damage with Peroxisome Proliferator-Activated Receptor- γ Activation in Diabetic Mice, *J. Hypertens.*, 28, 1730–1737 (2010).

H. Takuwa : Contribution of Nitric Oxide to Cerebral Blood Flow Regulation under Hypoxia in Rats, *J. Physiol. Sci.*, 60, 399–406 (2010).

K. Nishio : A Mouse Model Characterizing Feature of Vascular Dementia with

Hippocampal Atrophy, Stroke, 41, 1278–1284 (2010).

T. Nishijima : Neuronal Activity Drives Localized Blood–Brain–Barrier Transport of Serum Insulin-Like Growth Factor-1 into the CNS, Neuron, 67, 834–8346 (2010).

Q. Guo : Fenofibrate Improves Cerebral Blood Flow after Middle Cerebral Artery Occlusion in Mice, J. Cereb. Blood Flow Metab., 30, 70–78 (2010).

M. Murozono : Reduction of Brain Infarction Induced by a Transient Brain Ischemia in *mdr1a* Knockout Mice, Neurochem. Res., 34, 1555–1561 (2009).

A. Sakata : Sex-Different Effect of Angiotensin II type 2 Receptor on Ischemia Brain Injury and Cognitive Function, Brain Res., 1300, 14–23 (2009).

K. Tsukuda : Cognitive Deficit in Amyloid- β -Injected Mice Was Improved by Pretreatment with a Low Dose of Telmisartan Partly Because of Peroxisome Proliferator-Activated Receptor- γ Activation, Hypertension, 54, 787–787 (2009).

S. Masuki : Increased Cerebral Activity Suppresses Baroreflex Control of Heart Rate in Freely Moving Mice, J. Physiol., 587, 5783–5794 (2009).

Y. Ueno : Edaravone Attenuates White Matter Lesions through Endothelial Protection in a Rat Chronic Hypoperfusion, Neuroscience, 162, 317–327 (2009).

Q. Guo : Effects of Gemfibrozil on Outcome after Permanent Middle Cerebral Artery Occlusion in Mice, Brain Res., 1279, 121–130 (2009).

J-M. Li : Temporary Pretreatment with the Angiotensin 2 Type 1 Receptor

Blocker, Valsartan, Prevents Ischemia Brain Damage through an Increase in Capillary Density, *Stroke*, 39, 2029–2036 (2008).

M. Iwai : Attenuation of Focal Brain Ischemia by Telmisartan, an Angiotensin 2 Type 1 receptor Blocker, in Atherosclerotic Apolipoprotein E-Deficient Mice, *Hypertens res.*, 31, 161–168 (2008).

S. Inaba : Continuous Activation of Renin–Angiotensin System Impairs Cognitive Function in Renin/Angiotensinogen Transgenic Mice, *Hypertension*, 53[part2], 356–362 (2008).

S. Inaba : Exaggeration of Focal Cerebral Ischemia in Transgenic Mice Carrying Human Renin and Human Angiotensinogen Genes, *Stroke*, 40, 597–603 (2008).

K. Tsukuda : Diabetes–Associated Cognitive Impairment Is Improved by a Calcium Channel Blocker, Nifedipine, *Hypertension*, Feb. 2008 Part2, 528–533 (2008).

J. Iwanami : Pretreatment with Eplerenone Reduces Stroke Volume in Mouse Middle Cerebral Artery Occlusion Model, *Eur. J. Pharmacol.*, 566(1–3), 153–159 (2007).

T., Nishijima : Evidence of Functional Hyperemia in the Rat Hippocampus during Miles Treadmill Running, *Neuro. Res.*, 54, 186–191 (2006).

M. Mogi : Amlodipine Treatment Reduces Stroke Size in Apolipoprotein E-Deficient Mice, *Am. J. Hypertens.*, 19, 1144–1149 (2006).

M. Iwai : The Calcium–Channel Blocker, Azelnidipine, Enhances the Inhibitory Action of AT1 Receptor Blockade on Ischemic Brain Damage, *J. Hypertens.*, 24, 2023–2031 (2006).

M. Hamai : Comparison of Inhibitory Action of Candesartan and Enalapril on Brain Ischemia through Inhibition of Oxidative Stress, Neuropharmacology, 51, 822–828 (2006).

H.-J. Hong : p53 Protein Expression Area as a Molecular Penumbra of Focal Cerebral Infarction in Rats, J. Korean Neurosurg. Soc., 38, 293 (2005).

T. Nishijima : Hemodynamics under Hippocampal Functional Hyperemia in Anesthetized Rat : A Greater Contribution of Red Blood Cell Velocity Compared to its Concentration, Jpn. J. Physiol., 55, 303–307 (2005).

H. Hiraba : Cerebral control of face, jaw, and tongue movements in awake cats : Changes in regional cerebral blood flow during lateral feeding, Somatosensor & Motor Res., 22, 307 (2005).

A. Takahara : Neuroprotective Effects of a Dual L/N-type Ca²⁺ Channel Blocker Cilnidipine in the Rat Focal Brain Ischemia Model, Biol. Pharm. Bull., 27, 1388 (2004).

M. Iwai : Possible Inhibition of Focal Cerebral Ischemia by Angiotensin 2 Type 2 Receptor Stimulation, Circulation, 110, 843–848 (2004).

M. Murozono : Neuroprotective and Neurotoxic Effects of Cyclosporine A on Transient Focal Ischemia in mdrla Knockout Mice, Eur. J. Pharmacology, 498, 115–118 (2004).

S. Jesmin : Characterization of Regional Cerebral Blood Flow and Expression of An giogrnic Growth Factors in the Frontal Cortex of Juvenile Male SHRSP and SHR, Brain Res., 1030, 172 (2004).

M. Shibata : White Matter Lesions and Glial Activation in a Novel Mouse

Model of Chronic Cerebral Hypoperfusion, *Stroke*, 35, 2598–2603 (2004).

K. Yokoyama : Stellate Ganglion Block and Regional Cerebral Blood Volume and Oxygenation, *Canadian J. Anesthesia*, 51, 515 (2004).

K. Shibuya : Cerebral Oxygenation during Intermittent Supramaximal Exercise, *Respiratory Physiol. Neurobiol.*, 140, 165–172 (2004).

K. Shibuya : Cerebral Cortex Activity during Supramaximal Exhaustive Exercise, *J. Sports Med. Phys. Fitness*, 44, 215 (2004).

A. Seiyama : Regulation of Oxygen Transport during Brain Activation : Stimulus-induced Hemodynamic Responses in Human and Animal Cortices, *Dyn. Med.*, 2, 6 (2003).

H. Tomimoto : Chronic Cerebral Hypoperfusion Induces White Matter Lesions and Loss of Oligodendroglia with DNA Fragmentation in the Rat, *Acta Neuropathol.*, 106, 527 (2003).

O. Miyamoto : Suppression of Hyperemia and DNA Oxidation by Indomethacin in Cerebral Ischemia, *Eur. J. Pharmacol.*, 459, 179 (2003).

S. Takami : Chemokine Receptor Antagonist Peptide, Viral MIP-2, Protects the Brain Against Focal Cerebral Ischemia in Mice, *J. Cereb. Blood Flow Metab.*, 21, 1430–1435 (2001).

T. Kunimatsu : Effects of Glutamate Receptor Agonist on Extracellular Glutamate Dynamics during Moderate Cerebral Ischemia, *Brain Res.*, 923, 178 (2001).

S. Namura : Ebselen Reduces Cytochrome C Release from Mitochondria and Subsequent DNA Fragmentation after Transient Focal Cerebral Ischemia an

Mice, Stroke, 32, 1906 (2001).

S. Namura : Intravenous Administration of MEK Inhibitor U0126 Affords Brain Protection against Forebrain Ischemia and Focal Cerebral Ischemia, Proc. Natl. Acad. Sci. USA, 98, 11569 (2001).

K. Tanaka : FK506 Ameliorates the Discrimination Learning Impairment due to Preventing the Rarefaction of White Matter Induced by Chronic Cerebral Hypoperfusion in Rats, Brain Res., 906, 184 (2001).

T. Kondo : A Pharmacologic Study on CO₂ Responsiveness of Intracranial Pressure in Rats with Chronic Hypercapnia, Chest, 115, 1402 (1999).

H. Zhao : Effects of Brain Temperature on CBF Thresholds for Extracellular Glutamate Release and Reuptake in the Striatum in a Rat Model of Graded Global Ischemia, NeuroReport, 9, 3183 (1998).

3. Nasal Blood Flow

M. Kawarai : Sympathetic Control of Nasal Blood Flow in the Rat Mediated by α 1-adrenoceptors, Eur. J. Pharmacol., 413, 255 (2001).

4. Spinal Cord Blood Flow

Y. Arima : Regional Neural Activation Defines a Gateway for Autoreactive T Cells to Cross the Blood Barrier, Cell, 148, 447–457 (2012).

S. Kato : Effects on Spinal Cord Blood Flow and Neurologic Function Secondary to Interruption of Bilateral Segmental Arteries Which Supply the Artery of Adamkiewicz, Spine, 33, 1533–1541 (2008).

K. Nakai : The Effects of OP-1206 α -CD on Walking Dysfunction in the Rat Neuropathic Intermittent Claudication Model, Pain Medicine, 94, 1537 (2002).

Y. Takenobu : Model of Neuropathic Intermittent Claudication in the Rat : Methodology and Application, J. Neurosci. Methods, 104, 191 (2001).

5. Blood Flow and Oxygenation of Muscle and Tendon

N. Yin : Increased Patellar Tendon Microcirculation and Reduction of Tendon Stiffness Following Knee Extension Eccentric Exercises, J. Orthopaedic & Sports Physical Therapy, 44, 304 (2014).

E. Horikoshi : Oxygen Saturation and Electromyographic Changes in Masseter Muscle during Experimental Chewing of Gum with Harder Texture, Acta Odontol. Scand, Early Online, 1 (2013).

K. Kubo : Time Course of Changes in the human Achilles Tendon Properties and Metabolism during Training and Detraining in Vivo, Eur. J. Appl. Physiol., 112, 2679 (2012).

K. Kubo : Blood Circulation of Patellar and Achilles Tendons during Contractions and Heating, Med. Sci. Sports Exerc., 44, 2111 (2012).

K. Tabira : The Relationship between Skeletal Muscle Oxygenation and Systemic Oxygen Uptake during Exercise in Subjects with COPD : A Preliminary Study, Respir. Care, 57, 1602 (2012).

T. Yamazaki : Novel Device That Produces Carbon Dioxide Mist for Myocardial Infarction Treatment in Rats, Circ. J., 76, 1203 (2012).

T. Tanosoto : A Paced Auditory Serial Addition Task Evokes Stress and Differential Effects on Masseter-Muscle Activity and Haemodynamics, Eur. J. Oral Sci., 120, 363 (2012).

T. Hachiya : Peripheral Vascular Responses of Men and Women to LBMP, Aviat. Space Environ. Med., 83, 118 (2012).

K. Kubo : Changes in Blood Circulation of the Contralateral Achilles Tendon during and After Acupuncture and Heating, Int. J. Sports Med., 32, 807 (2011).

Y. Kobayashi : Increased Intramuscular Pressure in Lumbar Paraspinal Muscles and Low Back Pain, Spine, 35, 1423 (2010).

T. Hachiya : Delayed Vasoconstrictor Response to Venous Pooling in the Calf is Associated with High Orthostatic Tolerance to LBNP, J. Appl. Physiol., 109, 996 (2010).

M. Horiuchi : Effects of oral single-dose administration of sarpogrelate hydrochloride on saturation O₂ of calf muscle during plantar flexion exercise, Adv Exp Med Biol., 662, 531 (2010).

K. Sekikawa : Muscle Blood Flow and Oxygen Utilization Measured by Near-Infrared Spectroscopy during Handgrip Exercise in Chronic Respiratory Patients, J. Phys. Ther. Sci., 21, 231 (2009).

J. Odagawa : Influence of Home-Based Pulmonary Rehabilitation on Muscle Oxygenation in Elderly Patients with Chronic Obstructive Pulmonary Disease, J. Phys. Ther. Sci., 21, 301 (2009).

T. Niioka : Regional Differences in Blood Flow Variation in Rat Masseter Muscle, Arch Oral Biol., 54, 1022-1028 (2009).

E Sudo : Parasympathetic Vasodilator Fibers in the Rat Digastric Muscle, Brain Res., 1302, 125 (2009).

T. Niioka : Involvement of Vasoactive Intestinal Polypeptide in the Parasympathetic Vasodilation of the Rat Masseter Muscle, Archive Oral Biol., 54, 909 (2009).

H. Ishi : Difference between Male and Female rats in Cholinergic Activity of Parasympathetic Vasodilatation in the Masseter Muscle, Archive Oral Biol., 54, 533 (2009).

H. Ishii : Circulating Adrenaline Released by Sympathoadrenal Activation Elicits Acute Vasodilatation in the Rat Masseter Muscle, Archives Oral Biol., 54, 486 (2009).

K. Kubo : Effects of different Duration Contractions on Elasticity, Blood Volume, and Oxygen Saturation of Human Tendon in Vivo, Eur. J. Appl. Physiol., 106, 445–455 (2009).

K. Kubo : Effects of Static and Dynamic Training on the Stiffness and Blood Volume of Tendon in vivo, J. Appl. Physiol., 106, 412 (2009).

M. Tanimoto : Effects of Whole-Body Low-Intensity Resistance Training with Slow Movement and Tonic Force Generation on Muscle Size and Strength in Young Men, J. Strength & Conditioning Res., 22, 1926 (2008).

K. Oguri : Pronounced Muscle Deoxygenation during Supramaximal Exercise under Simulated Hypoxia in Sprint Athletes, J. Sports Sci. Med., 7, 512 (2008).

K. Kubo : Changes in Oxygen Consumption of Human Muscle and Tendon Following

Repeat Muscle Contractions, Eur. J. Appl. Physiol., 104, 859–866 (2008).

T. Hachiya : Near-Infrared Spectroscopy Provides an Index of Blood Flow and Vasoconstriction in Calf Skeletal Muscle during Lower Body Negative Pressure, Acta. Physiol., 193, 117–127 (2008).

K. Kubo : Noninvasive Measures of Blood Volume and Oxygen Saturation of Human Achilles Tendon by Red Laser Light, Acta. Physiol., 193, 257–264 (2008).

H. Ishii : Inhibitory Effects od Excess Sympathetic Activity on Parasympathetic Vasodilation in the Rat Masseter Muscle, Am. J. Physiol. Regul. Integr. Comp. Physiol., 293, R729 (2007).

M. Tanimoto : Effects of Low-intensity Resistance Exercise with Slow Movement and Tonic Force Generatio on Muscle Function in Young Men, J. Appl. Physiol., 100, 1150 (2006).

T. Masuda : Intramuscular Hemodynamics in Bilateral Erector Spinae Muscles in Symmetrical and Asymmetrical Postures with and without Loading, Clin. Biomech., 21, 245–253 (2006).

K. Kawaguchi : Vastus Lateralis Oxygenation during Prolonged Cycling in Healty Males, Appl. Physiol. Nutr. Metab., 31, 48–55 (2006).

N. Kuge : Does Handgrip Exercise Training Increase Forearm Ischemic Vasodilator Responses in Patients Receiving Hemodialysis ?, Tohoku J. Exp. Med., 207, 303 (2005).

H. Ishii : Evidence for Parasympathetic Vasodilator Fibres in the Rat Masseter Muscle, J. Physiol., 569. 2, 617–629 (2005).

M. Shibata : Nitric Oxide Modulates Oxygen Consumption by Arteriolar Wall in Rat Skeletal Muscle, Am. J. Physiol. Heart Circ. Physiol., 289, H2673–H2679 (2005).

M. Shibata : Estimating Oxygen Consumption Rates of Arteriolar Walls under Physiological Conditions in Rat Skeletal Muscle, Am. J. Physiol., Heart Circ. Physiol., 289, H295–H300 (2005).

T. Masuda : Relationship between the Thickness and Hemodynamics of the Erector Spine Muscles in Various Lumbar Curvatures, Clin. Biomec., 20, 247–253 (2005)

H. Oyama : Measurement of Venous Blood Flow in the Lower Limbs : Prevention of Deep Vein Thrombosis during Prolonged Sitting, Work with Computing Systems 2004. H. M. Khalid, M. G. Helander, A. W. Yeo (Editors), Kuala Lumpur: Damai Science, 302 (2004).

H. Sakakima : Oxygen Saturation and Hemoglobin Level in the Muscles of Hypertensive Patients during Exercise in Water, J. Jpn. Phys. Ther. Assoc., 7, 29 (2004).

T. Hachiya : Changes in Superficial Blood Distribution in Thigh Muscle during LBNP Assessed by NIRS, Aviat. Space Environ. Med., 75, 118–122 (2004).

K. Shibuya : Muscle Oxygenation Kinetics at the Onset of Exercise do not Depend on Exercise Intensity, Eur. J. Appl. Physiol., 91, 712–715 (2004).

K. Oguri : Effect of Moderate Altitude on Peripheral Muscle Oxygenation during Leg Resistance Exercise in Young Males, J. Sports Sci. Med., 3, 182–189 (2004).

- O. Hidaka : Changes in Masseteric Hemodynamics Time-related to Mental Stress, J. Dent. Res., 83, 185 (2004).
- K. Sekikawa : Changes in Skeletal Muscle Oxygenation during Dynamic Exercise in Patients with Respiratory Failure, J. Phys. Ther. Sci., 15, 19–23 (2003).
- K. Shibuya : Does the Regional Oxygen Uptake Measured by Near Infrared Spectroscopy Reflect the Phase 2 Pulmonary Oxygen Uptake at the Onset of Exercise ?, J. Physiol. Anthropol., 22, 137 (2003).
- S. Masuki : Arterial Baroreflex Control of Muscle Blood Flow at the Onset of Voluntary Locomotion in Mice, J. Physiol., 553, 191 (2003).
- S. Masuki : Impaired Arterial Pressure Regulation during Exercise due to Enhanced Muscle Vasodilatation in Calponin Knockout Mice, J. Physiol., 553, 203 (2003).
- K. Nakamura : Changes in Nitric Oxide, Superoxide, and Blood Circulation in Muscles over Time after Warm Ischemic Reperfusion in Rabbit Rectus Femoris Muscle, Scand. J. Plast. Reconstr. Hand Surg., 35, 13 (2001).
- K. Kawaguchi : Do the Kinetics of Peripheral Muscle Oxygenation Reflect Systemic Oxygen Intake ?, Eur. J. Appl. Physiol., 84, 158 (2001).

6. Blood Flow of Internal Organs

- Y. Kawai : Effect of the Phytotherapeutic Agent Eviprostat on the Bladder in a Rat Model of Bladder Overdistension/ Emptying, Neurourol. Urodyn., 32, 1031 (2013).

M. Nomiya : The Effect of Atherosclerosis-Induced Chronic Bladdeir Ischemia on Bladder Function in the Rat, *neurourol. Urodyn.*, 31, 195 (2012).

H. Yamasaki : Mechanisms Underlying the Effects of leukocyte Apheresis with a Fiber Filter in a Rat Model of Dextran Sulfate Sodium-Induced Colitis, *Dig. Dis. Sci.*, 55, 596 (2010).

Y. Miyamoto : Analysis of Collateral Blood Flow to the Lower Body during Selective Cerebral Perfusion : is Three- Vessel Perfusion better than Two-Vessel Perfusion ?, *Eur. J. Cardio-thoracic Sur.*, 35, 684 (2009).

J. Oguma : Knot-Tying Force during Suturing and Wound Healing in the Gastrointestinal Tract, *J. Surg. Res.*, 140, 129 (2007).

S. Koba : DifferentialSympathetic Outflow and Vasoconstriction Responses at Kidney and Skeletal Muscles during Fictive Locomotion, *Am. J. Physiol. Heart Circ. Physiol.*, 290, H861 (2006).

Y. Inoue : Protective Effects of a Selective Neutrophil Elastase Inhibitor (Sivelestat) on Lipopolysaccharide-induced Acute Dysfunction of the Pulmonary Microcirculation, *Crit Care Med.*, 33, 1814-1822 (2005).

K. Hashimoto : Pharmacological Evaluation of Shokyo and Kankyo(1), *Biol. Pharm. Bull.*, 25, 1183 (2002).

H. Ishikawa: Role of Cyclic Nucleotides in Ischemia and Reperfusion Injury of Canine Livers, *Transplantation*, 73, 1041 (2002).

K. Ogata : Attenuation of Ischemia and Reperfusion Injury of Canine Livers by Inhibition of Type 2 Phospholipase A2 with LY329722, *Transplantation*, 71, 1040 (2001).

H. Masuko : Protective Effects of Angiotensin 2 Type 1 Receptor Antagonist, CV-11974, on Ischemia and Reperfusion Injury of the Liver, Transplantation, 71, 1034 (2001).

T. Kurihara : Effects of Eicosapentaenoic Acid on Blood Rheology in Rats with Fatty Liver, Current Therapeutic Res., 58, 525 (1997).

7. Ocular Blood Flow

K. Okamoto : Trigeminal Interpolaris/caudalis Transition Neurons Mediate Reflex Lacrimation Evoked by Bright Light in the Rat, Eur. J. Neurosci., 36, 3492 (2012).

H. Ogishima : Ligation of the Pterygopalatine and External Carotid Arteries Induces Ischemic Damage in the Murine Retina, IOVS, 52, 9710 (2011).

M. Kawarai : Sympathetic Vasodilation in the Rat Anterior Choroid Mediated by β 1-adrenoceptors, Eur. J. Pharmacol., 386, 227 (1999).

T. Yamaguchi : The Effects of Kallidinogenase on Choroidal Blood Flow in a Hypertensive Rabbit Model, Curr. Eye Res., 18, 417 (1999).

M. Kawarai : Sympathetic Vasoconstriction in the Rat Anterior Choroid is Measured by α 1-adrenoceptors, Eur. J. Pharmacol., 363, 35 (1998).

8. Coronary Blood Flow

A. Sugiyama : Pharmacological Evaluation of a New Laser Blood Flowmeter for Measuring Coronary Blood Flow, Assesses in the Canine Isolated, Blood-Perfused Ventricular Tissue Preparation in Comparison with an

Electromagnetic Flowmeter, Jpn. J. Pharmacol., 80, 263 (1999).

9. Myocardial Blood Flow

C. Abe : Intravenous Infusion of Hyperosmotic NaCl Solution induces Acute Cor Pulmonale in Anesthetized Rats, J. Physiol. Sci., 63, 55 (2013).

Q. Wang : An Artificial Myocardium Assist System : Electrohydraulic Ventricular Actuation Improves Myocardial Tissue Perfusion in Goat, Artif. Organs, 28, 853 (2004).

10. Endometrial Blood Flow

M. Jinno : Measurement of Endometrial Tissue Blood Flow : A Novel Way to Assess Uterine Receptivity for Implantation, Fertil. Steril., 76, 1168 (2001).

11. Cochlear Blood Flow

S. Iwasaki : Focal Damage to Cochlear Microcirculation Measured using a Non-Contact Laser Blood Flowmeter in Guinea Pigs, Acta. Otolaryngol. (Stockh), 118, 666 (1998).

M. Nagura : Role of Nitric Oxide in Focal Microcirculation Disorder of Guinea Pig Cochlea, Hedaring Res., 153, 7 (2001).

12. Skin Blood Flow

K. Demachi : Relationship between Mean Body Temperature Calculated by Two m- or Three-compartment Models and Active Cutaneous Vasodilation in Human : a Comparison between Cool and Warm Environments during Leg Exercise, Int. J. Biometeorol., 56, 277 (2012).

K. Demachi : The Effect of Starting or Stopping Skin Cooling on the Thermoregulatory Responses during Leg Exercise in Humans, Int. J. Sports Med., 33, 514 (2012).

T. Takahashi : Influence of Skin Blood Flow on Near-Infrared Spectroscopy Signals Measured on the Forehead during a Verbal Fluency Task, NeuroImage, 57, 991 (2011).

Y. Ikeda : Deferoxamine Promotes Angiogenesis via the Activation of Vascular Endothelial Cell Function, Atherosclerosis, 215, 339 (2011).

J. F. Dunn : A Transmissive Laser Speckle Imaging Technique for Measuring Deep Tissue Blood Flow : An Example Application in Finger Joints, Lasers Surg. Med., 43, 21 (2011).

H. Ohnari : Effect of Microbubble Bathing of Lower Extremities on Peripheral Circulation, Bull Yamaguchi Med School, 57, 25 (2010).

M. Ichihashi : Effects of Nanpao, a Kampo Medicine, on Peripheral Blood Flow and Surface Skin Temperature in Aged Female Rats, Exp. Anim., 58, 67 (2009).

H. Jeong : Improvement of Touch Sensitivity by Pressing, 30th Ann. Inter. IEEE EMBS Confer., Aug. 20–24, 2409 (2008).

K. Kusuvara : Effect of Knee Extension Exercise with KAATSU on Forehead Cutaneous Blood Flow in Healthy Young and Middle-aged Women, Int. J. KAATSU

Training Res., 2, 29 (2006).

T. Masuda : Effects of Music Listening on Elderly Orthopaedic Patients during Postoperative Bed Rest, Nordic J. Music Therapy, 14, 4 (2005).

K. Takeshita : In Vivo Oxygen Radical Generation in the Skin of the Protophyria Model Mouse with Visible Light Exposure : An L-Band ESR Study, J. Invest. Dermatol., 122, 1463 (2004).

M. Fujita : Seasonal Effects of Sleep Deprivation on Thermoregulatory Responses in a Hot Environment, Physiolog. Anthropol. Appl. Human Sci., 22, 273-278 (2003).

M. Kakuyama : The Bilateral Effect of Stellate Ganglion Block on the Facial Skin Blood Flow, Regional Anesth. Pain Med., 25, 389 (2000).

13. Oral Blood Flow

T. Nakamoto : Two-Demensional Real-Time Blood Flow and Temperature of Soft Tissue Around Maxillary Anterior Implants, Implant Dentistry, 21, 522 (2012).

M. Kanao : Comparison of Plaque Accumulation and Soft-tissue Blood Flow with the use of Full-arch Implant-supported Fixed Prostheses with Mucosal Surfaces of Different Materials : a Randomized Clinical Study, Clin. Oral Impl. Res., 0, 1-7 (2012).

H. Watanabe : Occurrence of Parasympathetic Vasodilator Fibers in the Lower Lip of the Guinea-Pig, J. Comp. Phusiol. B, 178, 297 (2008).

14. Leg Blood Flow

M. Kinugasa : Necl-5/Poliovirus Receptor Interacts with VEGFR2 and Regulates VEGF-Induced Angiogenesis, Circ. Res., 110, 716 (2012).

Y. Ikeda : Heparin Cofactor 2, a serine protease inhibitor, promotes angiogenesis via activation of the AMPK-eNOS signaling pathway, J. Biol. Chem., 287, 34256 (2012).

M. Koide : Apoptosis Regulator through Modulating IAP Expression (ARIA) Controls the P13K/Akt Pathway in Endothelial and Endothelial Progenitor Cells, PNAS, 108, 9472 (2011).

H. Tawa : Role of Afadin in Vascular Endothelial Growth Factor – and Sphingosine 1-Phosphate-Induced Angiogenesis, Circ. Res., 106, 1731 (2010).

F. Ohta : Low-dose L-arginine Administration Increases Microperfusion of Hindlimb Muscle without Affecting Blood Pressure in Rats, Pharmacology, 104, 1407 (2007).

T. Goto : Search for Appropriate Experimental Methods to Create Stable Hind-limb Ischemia in Mouse, Tokai J. Exp. Clin. Med., 31, 118 (2006).

15. Bone Blood Flow

H. Nishi : Decreasing Sternum Microcirculation after Harvesting the Internal Thoracic Artery, Eur. J. Cardio-thoracic Surg., 40, 240 (2011).

16. Tail Blood Flow

H. Oku : Allergy-Preventive Effects of Chlorogenic Acid and Iridoid

Derivatives from Flower Buds of Lonicera japonica, Biol. Pharm. Bull., 34, 1330 (2011). :

H. Y. Kim : Reparixin, an Inhibitor of CXCR1 and CXCR2 Receptor Activation, Attenuates Blood Pressure and Hypertension-Related Mediators Expression in Spontaneously Hypertensive Rats, Biol. Pharm. Bull., 34, 120 (2011).

17. Blood Flow of Dental Pulp

X. Qu : Improvement of the Detection of Human Pulpal Blood flow using a Laser Doppler Flowmeter Modified for Low Flow Velocity, Archives of Oral Biology, 59, 199 (2014).